

CONSTRUCTION PRODUCTS REGULATION (EU) No.305/2011

DECLARATION OF PERFORMANCE No. 0001 CPR 07-2013

1. Identification Code: **Direct Drive Roller Shutter Door**
2. Serial Number: **DD – RSD 0001**
3. Intended Use: **External Door For Vehicle Access**
4. Manufacturer: **dp Doors & Shutters Ltd, 23b Orgreave Crescent, Sheffield, S13 9NQ**
5. Authorised Representative: **Not Applicable**
6. Assessment And Verification Of Constancy Of Performance: **System 3**
7. Relevant Harmonised Standard: **BS EN 13241-1:2003 + A1:2011**

Exova Warringtonfire will be performing Initial Type Testing under System 3

8. European Technical Assessment: **Not Applicable**
9. Declared Performance:

Essential Characteristic	Declared Performance	Harmonised Standard
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Thermal resistance	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
Durability of watertightness, thermal resistance and air permeability against degradation	NPD	

Specific Technical Documentation: **Not Applicable**

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Alan Bolsover – (Managing Director) **Alan Bolsover**
dp Doors & Shutters Ltd, July 2013

CONSTRUCTION PRODUCTS REGULATION (EU) No.305/2011

DECLARATION OF PERFORMANCE No. 0002 CPR 07-2013

8. Identification Code: **Flange Mount Roller Shutter Door**
9. Serial Number: **FM - RSD 0002**
10. Intended Use: **External Door For Vehicle Access**
11. Manufacturer: **dp Doors & Shutters Ltd, 23b Orgreave Crescent, Sheffield, S13 9NQ**
12. Authorised Representative: **Not Applicable**
13. Assessment And Verification Of Constancy Of Performance: **System 3**
14. Relevant Harmonised Standard: **BS EN 13241-1:2003 + A1:2011**

Exova Warringtonfire will be performing Initial Type Testing under System 3

8. European Technical Assessment: **Not Applicable**
9. Declared Performance:

Essential Characteristic	Declared Performance	Harmonised Standard
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Thermal resistance	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
Durability of watertightness, thermal resistance and air permeability against degradation	NPD	

Specific Technical Documentation: **Not Applicable**

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Alan Bolsover – (Managing Director) Alan Bolsover
dp Doors & Shutters Ltd, July 2013

CONSTRUCTION PRODUCTS REGULATION (EU) No.305/2011

DECLARATION OF PERFORMANCE No. 0003 CPR 07-2013

15. Identification Code: **Tube Motor Roller Shutter Door**

16. Serial Number: **TM - RSD 0003**

17. Intended Use: **External Door For Vehicle Access**

18. Manufacturer: **dp Doors & Shutters Ltd, 23b Orgreave Crescent, Sheffield, S13 9NQ**

19. Authorised Representative: **Not Applicable**

20. Assessment And Verification Of Constancy Of Performance: **System 3**

21. Relevant Harmonised Standard: **BS EN 13241-1:2003 + A1:2011**

Exova Warringtonfire will be performing Initial Type Testing under System 3

8. European Technical Assessment: **Not Applicable**

9. Declared Performance:

Essential Characteristic	Declared Performance	Harmonised Standard
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Thermal resistance	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
Durability of watertightness, thermal resistance and air permeability against degradation	NPD	

Specific Technical Documentation: **Not Applicable**

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Alan Bolsover – (Managing Director) Alan Bolsover
dp Doors & Shutters Ltd, July 2013

CONSTRUCTION PRODUCTS REGULATION (EU) No.305/2011

DECLARATION OF PERFORMANCE No. 0004 CPR 07-2013

22. Identification Code: **Manual Operated Roller Shutter Door**

23. Serial Number: **MO - RSD 0004**

24. Intended Use: **External Door For Vehicle Access**

25. Manufacturer: **dp Doors & Shutters Ltd, 23b Orgreave Crescent, Sheffield, S13 9NQ**

26. Authorised Representative: **Not Applicable**

27. Assessment And Verification Of Constancy Of Performance: **System 3**

28. Relevant Harmonised Standard: **BS EN 13241-1:2003 + A1:2011**

Exova Warringtonfire will be performing Initial Type Testing under System 3

8. European Technical Assessment: **Not Applicable**

9. Declared Performance:

Essential Characteristic	Declared Performance	Harmonised Standard
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Thermal resistance	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
Durability of watertightness, thermal resistance and air permeability against degradation	NPD	

Specific Technical Documentation: **Not Applicable**

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Alan Bolsover – (Managing Director) **Alan Bolsover**
dp Doors & Shutters Ltd, July 2013

CONSTRUCTION PRODUCTS REGULATION (EU) No.305/2011

DECLARATION OF PERFORMANCE No. 0005 CPR 07-2013

29. Identification Code: **High Speed Door**

30. Serial Number: **HSD 0005**

31. Intended Use: **External Door For Vehicle Access**

32. Manufacturer: **dp Doors & Shutters Ltd, 23b Orgreave Crescent, Sheffield, S13 9NQ**

33. Authorised Representative: **Not Applicable**

34. Assessment And Verification Of Constancy Of Performance: **System 3**

35. Relevant Harmonised Standard: **BS EN 13241-1:2003 + A1:2011**

Exova Warringtonfire will be performing Initial Type Testing under System 3

8. European Technical Assessment: **Not Applicable**

9. Declared Performance:

Essential Characteristic	Declared Performance	Harmonised Standard
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Thermal resistance	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
Durability of watertightness, thermal resistance and air permeability against degradation	NPD	

Specific Technical Documentation: **Not Applicable**

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Alan Bolsover – (Managing Director) Alan Bolsover
dp Doors & Shutters Ltd, July 2013

CONSTRUCTION PRODUCTS REGULATION (EU) No.305/2011

DECLARATION OF PERFORMANCE No. 0006 CPR 07-2013

36. Identification Code: **Insulated Roller Shutter Door**

37. Serial Number: **INS – RSD 0006**

38. Intended Use: **External Door For Vehicle Access**

39. Manufacturer: **dp Doors & Shutters Ltd, 23b Orgreave Crescent, Sheffield, S13 9NQ**

40. Authorised Representative: **Not Applicable**

41. Assessment And Verification Of Constancy Of Performance: **System 3**

42. Relevant Harmonised Standard: **BS EN 13241-1:2003 + A1:2011**

Exova Warringtonfire will be performing Initial Type Testing under System 3

8. European Technical Assessment: **Not Applicable**

9. Declared Performance:


Essential Characteristic	Declared Performance	Harmonised Standard
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Thermal resistance	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
Durability of watertightness, thermal resistance and air permeability against degradation	NPD	


Specific Technical Documentation: **Not Applicable**


10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.


Signed for and on behalf of the manufacturer by:


Alan Bolsover – (Managing Director) **Alan Bolsover**
dp Doors & Shutters Ltd, July 2013


	<p style="text-align: right;">13</p> <p>Dp Doors & Shutters Ltd 23b Orgreave Crescent Dore House Industrial Estate Sheffield S13 9NQ</p> <p>Serial No. DD -RSD 0001 CPR 07 – 2013 Direct Drive Roller Shutter Door</p>	
	Essential Characteristic	Declared Performance
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
<p>Exova Warringtonfire performing Initial Type Testing under System 3 Intended for use – External Doors for vehicle access</p>		

	<p style="text-align: right;">13</p> <p>Dp Doors & Shutters Ltd 23b Orgreave Crescent Dore House Industrial Estate Sheffield S13 9NQ</p> <p>Serial No. FM -RSD 0002 CPR 07 – 2013 Flange Mount Roller Shutter Door</p>	
	Essential Characteristic	Declared Performance
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
<p>Exova Warringtonfire performing Initial Type Testing under System 3 Intended for use – External Doors for vehicle access</p>		

	<p style="text-align: right;">13</p> <p>Dp Doors & Shutters Ltd 23b Orgreave Crescent Dore House Industrial Estate Sheffield S13 9NQ</p> <p>Serial No. TM -RSD 0003 CPR 07 – 2013 Tube Motor Roller Shutter Door</p>	
	Essential Characteristic	Declared Performance
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
<p>Exova Warringtonfire performing Initial Type Testing under System 3 Intended for use – External Doors for vehicle access</p>		

	<p style="text-align: right;">13</p> <p>Dp Doors & Shutters Ltd 23b Orgreave Crescent Dore House Industrial Estate Sheffield S13 9NQ</p> <p>Serial No. MO -RSD 0004 CPR 07 – 2013 Manual Operated Roller Shutter Door</p>	
	Essential Characteristic	Declared Performance
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
<p>Exova Warringtonfire performing Initial Type Testing under System 3 Intended for use – External Doors for vehicle access</p>		

	<p style="text-align: right;">13</p> <p>Dp Doors & Shutters Ltd 23b Orgreave Crescent Dore House Industrial Estate Sheffield S13 9NQ</p> <p>Serial No. HSD -RSD 0005 CPR 07 – 2013 High Speed Door</p>	
	Essential Characteristic	Declared Performance
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
<p>Exova Warringtonfire performing Initial Type Testing under System 3 Intended for use – External Doors for vehicle access</p>		

	<p style="text-align: right;">13</p> <p>Dp Doors & Shutters Ltd 23b Orgreave Crescent Dore House Industrial Estate Sheffield S13 9NQ</p> <p>Serial No. INS -RSD 0006 CPR 07 – 2013 Insulated Roller Shutter Door</p>	
	Essential Characteristic	Declared Performance
Watertightness	NPD	EN 13241:2003 + A1:2011
Dangerous Substance	NONE	
Resistance to wind	NPD	
Air permeability	NPD	
Safe opening	PASS	
Mechanical resistance and stability	PASS	
Operating forces	PASS	
<p>Exova Warringtonfire performing Initial Type Testing under System 3 Intended for use – External Doors for vehicle access</p>		